

Sil iglam PIIPE BIO SPAPKIE

		JFANNLI		
First created on:	2019-01-22	Updated on:	2022-03-29	
Next inspection on:	2022-12-31	Printed on:	2022-03-29	Version: V9/2

Note: The product is an object defined as an article in the Regulation (EC) No. 1907/2006 (REACH) Art. 3 Par. 3, not classified as dangerous or not containing substances classified as dangerous, so there is no obligation to issue a safety data sheet according to the Regulation (EC) No. 1907/2006 Art. 31 (Requirements for safety data sheets). The following information complies with the obligation according to Art. 32 (for substances on their own or in preparations for which a safety data sheet is not required) and was issued following the structure by Annex II.

## 1. Identification of the substance / the preparation / the product and identification of the company

### 1.1 Identification of the substance / the preparation / the product

Trade name: SiLiglam PURE BIO SPARKLE

### **1.2** Application of the substance / the preparation / the product

To be used as: Unsubscribed use: Effect material for cosmetics unknown

#### 1.3 Company identification

Manufacturer / Supplier:

Sigmund Lindner GmbH Oberwarmensteinacher Str. 38 95485 Warmensteinach / GERMANY Phone: +49-9277-9940 Fax: +49-9277-99499 Web: www.sili.eu E-Mail: reach@sili.eu

Information provided by:	Mr. Michael Dressler (Head of Quality)
	Mr. Reinhold Schneider (Quality Manager)

### 1.4 Emergency Call

Emergency information:

Phone: +49-9277-9940

This telephone number can be reached during Office Hours (CET):Monday - Thursday:7.00 AM - 4.30 PMFriday.7.00 AM - 1.00 PM

### 2. Possible dangers

#### 2.1 <u>Classification of the substance or mixture</u> Not classified according to Regulation (EG) No. 1272/2008 (CLP).

### 2.2. <u>Labeling elements</u>

Not subject to labeling according to Regulation (EG) No. 1272/2008 (CLP).

### 2.3. Additional danger advice

No risks from this product regarding human health or environment are apparent. We therefore have no knowledge of chronic or skin irritating effects when physical contacts have occurred.

According to Attachment II EC Reg. 1907/2006 (REACH)

The German quality spirit of quality SIGN



SiLiglam PURE BIO SPARKLE First created on: 2019-01-22 Updated on:

 First created on:
 2019-01-22
 Updated on:
 2022-03-29

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-29

Version: V9/2022

### 3. Composition / detailed information on the ingredients

### 3.1 <u>Substance</u>

Not relevant.

### 3.2 <u>Mixtures</u>

Description:

Solid made of cellulose-based film

### 3.3 Ingredients

Substance Name	Classification	Weight	CAS N°	EC N°	REACH Reg.N°
Cellulose, regenerated	no hazardous substance	> 74.6 %	68442-85-3	270-493-7	no registration
Cellulose Diacetate	no hazardous substance	2.0 %	9004-35-7	618-380-7	no registration
Glycerin	no hazardous substance	10.0 %	56-81-5	200-289-5	01-2119471987-18
Pullulan	no hazardous substance	7.5 %	9057-02-7	232-945-1	no registration
Urea	no hazardous substance	3.0 %	57-13-6	200-315-5	01-2119463277-33
CI 19140	no hazardous substance		12225-21-7	235-428-9	01-2119950328-34
CI 77492	no hazardous substance		51274-00-1	257-098-5	01-2119457554-33
CI 15850	no hazardous substance	2.0 %	5281-04-9	226-109-5	01-2120768620-53
CI 77510	Aquatic Chronic 4; H413	2.0 /0	25869-00-5	247-304-1	01-2119555296-32
CI 77491	no hazardous substance		1309-37-1	215-168-2	01-2119457614-35
CI 16035	no hazardous substance		25956-17-6	247-368-0	01-2119935928-21
Triacetin	no hazardous substance	0.5 %	102-76-1	203-051-9	01-2119484873-24
Silica, amorphous	Skin Irrit. 2; H315	0.3 %	112945-52-5	601-216-3	01-2119379499-16
(nano)	Eye Irrit. 2; H319				
	STOT SE 3; H335				
CI 77000	Water React. 2; H261	0.1 %	7429-90-5	231-072-3	01-2119529243-45
	Flam. Sol. 1; H228				

### 4. First-aid measures

### 4.1 <u>Description of first aid measures</u>

### 4.1.1 General Advice

After contact with the melted product contaminated clothes need to be changed. In case of fainting, place and transport the person into recovery position. In case of persisting discomfort please contact a physician. To helpers: Please protect yourself.

### 4.1.2 After Inhalation

After inhalation of dust particles and in particular decomposition gases, take the injured person into fresh air, lay him down and protect him from hypothermia. In case of a fainting spell and existing breathing, place the person in a stabilized side position. Please contact a physician for treatments.

### 4.1.3 After Skin Contact

In case of contact with the melted product rinse water over the affected areas of skin for at least 15 minutes. Remove contaminated clothes, but do not remove product residues from the skin. Burns have to be covered with sterile bandages. In case of burns, skin irritations or other symptoms please contact a physician.



Sil iglam PLIPE BIO SPARKLE

			-
First created on:	2019-01-22	Updated on:	2022-03-29
Next inspection on:	2022-12-31	Printed on:	2022-03-29

### 4.1.4 After Eye Contact

Remove particle carefully from the affected eye. If needed, remove contact lens. Rinse eye 15 minutes thoroughly with plenty of water. Consult a physician if needed.

#### 4.1.5 After Swallowing

Rinse mouth thoroughly and drink plenty of water. In case of indisposition call a physician.

**4.2.** <u>Main acute and delayed symptoms and effects</u> No information available.

#### 4.3. Advise to the physician

Toxic effects of the product itself except for thermal decomposition and fire are unknown. In case of any discomforts please treat symptomatically.

#### 5. Firefighting actions

### 5.1 Extinguishing agents

#### 5.1.1 Suitable extinguishing agents:

The product itself is neither combustible nor explosive. Extinguishing agents have to be coordinated with the surrounding fire.

- 5.1.2 For safety reason unsuitable extinguishing agents Jet of water.
- **5.2.** Special hazards arising from the substance or mixture Carbon monoxides (CO) and other toxic and flammable gases can be released.

#### 5.3. Special protective equipment

An independent respiratory device (isolation device) should be used.

#### 5.4. Additional advice

The product can ignite in case of fire and can continue to burn outside of the source of ignition. Toxic-, flammable gases and vapours can be released through thermal decomposition. It is possible that flames can spread through spontaneous ignition of gaseous decomposition products. Please cool the melted product with water. Collect the burn residues and water for firefighting in compliance with the legal regulations.

### 6. Measures by accidental release

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid formation of dust, do not inhale dust. Keep sources of ignition away from the dust.

#### 6.2. <u>Environmental measures</u>

Wastewater must be mechanically cleaned from rest products prior to emptying into the sewer system.

### 6.3. <u>Cleaning procedures and absorption</u>

Dry absorption and if possible, re-utilisation of the material.

#### 6.4. <u>Reference to other sections</u>

Personal protective equipment according to section 8.2, disposal according to section 13.





According to Attachment II EC Reg. 1907/2006 (REACH) SILIGIAM PURE BIO SPARKLE

First created on: 2019-01-22 Updated on: 2022-03-29 Next inspection on: 2022-12-31 Printed on: 2022-03-29

Version: V9/2022

#### 7. Handling and storage

#### 7.1. Protective measures for safe handling

#### 7.1.1 Safety advice

Avoid overheating through improper processing and dusting.

7.1.2 Technical protective measures

Local ventilation and airing guarantee, that all limits mentioned under point 8.1 are maintained.



### 7.1.3 Fire and explosion protection information

Keep away from sources of ignition.

#### 7.2. Conditions for safe storage under consideration of incompatibilities

- 7.2.1 Requirements for storage in rooms and containers No special storage necessary. Storage in tightly closed (original) container.
- 7.2.2 Additional details regarding storage Protect from heat. Comply with the appropriate regulations of the company's fire prevention measures.
- 7.2.3 Information on storage in one common storage facility: Storage class according to TRGS 510: LGK 11 (flammable solid materials). No incompatible products to mention.
- 7.3. **Specific end uses** See section 1.2.

#### 8. Exposure limits and personal protection

#### 8.1 Parameters to be monitored

Mechanical dry processing of the product can generate a risk of dust: The local limits of dust concentration at the work have to be considered.

Parameter	CAS-Number	EINECS	Value	Type of limit
General dust limit			10 mg/m³ E 1.25 mg/m³ A	Limit at work (AGW) according to the TRGS 900 Regulation
Aluminum	7429-90-5	231-072-3	50 μg/g Kreatinin	Limit at work (BGW) according to the TRGS 903 Regulation
Silica, amorphous (nano)	112945-52-5	601-216-3	4 mg/m³ E	Limit at work (AGW) according to the TRGS 900 Regulation

#### 8.2 **Exposure controls and monitoring**

#### 8.2.1 **Technical protection measures**

An on-site extraction system is required in the event of gathered dust and thermal pollution from the product.

pinit of quality since 1854

IGMUND LINDNER

SiLiglam PURE BIO SPARKLE

First created on: 2019-01-22 Updated on: 2022-03-29 Next inspection on: 2022-12-31 Printed on: 2022-03-29

Version: V9/2022

### 8.2.2 Personal protection equipment

### 8.2.2.1 Respiratory protection



Use respiratory protection in the event of dust exposure, e.g. a P1 dust mark that conforms to EN 143 or a half mask with particle filter FFP1 or PP2 conforms to EN 141. Caution! Limited wearing period.

### 8.2.2.2 Hand protection

Protective gloves are generally not required. In case of constant skin contact, gloves are sufficient for low mechanical and material stress, see also BGR 195, e.g.:



Material thickness Penetration time: Material: Butyl rubber min. 0.4 mm min. 30 min. acc. to DIN EN 374

### 8.2.2.3 Eye protection

Side-shielded safety goggles that conform to EN 166 are required when carrying out mechanical processing with exposure to dust.

#### 8.2.2.3 Body protection

Safety shoes to wear the product, as well as normal work clothes are sufficient.

#### 8.2.2.4 General industrial safety and hygiene measures

Do not inhale dust. Avoid contact with eyes. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of work.

### 8.2.3 Limitation and monitoring of environmental exposure

Environmentally hazardous properties of the product are not known, so that the general operational measures for environmental protection are sufficient.

#### 9. Physical and chemical properties

#### 9.1 **General details**

Physical condition:	Solid
Shape:	Glitter particles in hexagonal shape
Odour:	Odourless
Colour:	Various (refer to table regarding colour proportions,
	Chapter 3.3)

#### 9.2 Important details regarding health / environmental protection as well as safety

pH value:	Not applicable
Heat resistance:	120 ° C
Melting point / melting range:	235 to 290 °C - depending on the crystallinity of the polyester
Boiling point / boiling range:	Cannot be measured as decomposition occurs first
Flash point:	Not applicable
Ignition temperature:	> 300 ° C
Self-ignition point (Solid/Gas):	Not self-igniting
Blaze properties:	None
Risk of explosion:	Possible dust- or decomposition gas explosion
Vapour pressure:	To be disregarded



According to Attachment II EC Reg. 1907/2006 (REACH) 

			-
First created on:	2019-01-22	Updated on:	2022-03-29
Next inspection on:	2022-12-31	Printed on:	2022-03-29

Specific weight: Water solubility: Partition coefficient n-Octanol/ water: Viscosity: Vapour density: Evaporation speed: Not applicable

1.38 kg/dm<sup>3</sup> Insoluble in water Not applicable Not applicable Not applicable

#### Additional details 9.3

There are no further details required regarding safety-relevant parameters.

#### 10. Stability and reactivity

It is recommended to carry out a trial run prior to processing the product.

#### 10.1. Reactivity

Not reactive under the stated conditions of use and storage.

#### 10.2 Conditions to be avoided

Pyrolysis, dangerous decomposition products and dangerous reactions will not occur if the product is used as intended.

#### 10.3 Substances to be avoided

Potent acids, bases, and oxidation agents. Protect from temperatures > 150 °C

#### 10.4 Dangerous decomposition products when heated Aldehyde, carbon monoxide, carbon dioxide, hydrocarbons.

#### 11. **Toxicological data**

### 11.1. Information on toxicological effects

11.1.1 Toxicokinetic, metabolism and distribution No data available.

#### 11.1.2 Acute toxicity

No data available.

### 11.1.3 Etching and irritant effects

The contact with the melted product can cause burn wounds. The inhalation of dust and decomposition gases can cause health defects.

#### 11.1.4 Sensitizing effects

No sensitizing effects on skin and respiratory organs known.

11.1.5 Specific organ toxicity at single or repeated exposure No organ toxic effects known.

#### 11.1.6 Carcinogenicity, mutagenicity, and reproductive toxicity No carcinogenic, mutagenic, or toxic to reproduction effects known.

#### 12. **Environmental details**



According to Attachment II EC Reg. 1907/2006 (REACH)

SILIYIAIII F	UNE DIU	JFARALI		
First created on:	2019-01-22	Updated on:	2022-03-29	
Next inspection on:	2022-12-31	Printed on:	2022-03-29	

### 12.1. Toxicity

No data available.

- **12.2.** Persistence and degradability The product is insoluble and the inorganic substances it contains are not bioavailable.
- **12.3. Bioaccumulation potential** The product is insoluble and the inorganic substances it contains are not bioavailable, thus not bio accumulative.
- 12.4. Mobility in the ground

The product is insoluble and therefore not mobile.

12.5. Other adverse effects

Ozone depletion potential and greenhouse effect are not known.

Ecological and ecotoxicological data are not available. A threat to the environment is not to be expected if the product is handled and disposed of safely.

### 13. Notes on disposal

### 13.1 Waste treatment process

The product does not generate any waste that is subject to monitoring in accordance with Regulation (EU) No. 1357/2014. For disposal, national laws and local regulations must be observed.

#### 13.1.1 Product

Product residues should be reused wherever possible.

### 13.1.2 Uncleaned packaging

Recommendation: Non-contaminated packaging can be reused. Cleaning agent Water.

14.	Information on Transport	
14.1	<u>UN-Number</u>	not relevant
14.2.	Proper UN shipping name	not relevant
14.3.	Transport hazard classes	not relevant
14.4.	Packaging group	not relevant
14.5.	Environmental hazards	see section 14
14.6.	Special precautions for the user	see section 7
14.7.	Transport in bulk in accordance with Annex II to the MARPOL Convention and the IBC Code	not relevant

Note: No dangerous goods as defined by ADR/RID/ADN/GGVSEB, ICAO/IATA, IMDG.





According to Attachment II EC Reg. 1907/2006 (REACH) SiLiglam PURE BIO SPARKLE

First created on: 2019-01-22 Updated on: Next inspection on: 2022-12-31 Printed on:

2022-03-29 2022-03-29

Version: V9/2022

#### 15. Legal provisions

#### Safety, health, and environmental protection/legislation specific to the substance or 15.1 mixture

#### 15.1.1 EU-regulations Classification and labelling: None according to Directive (EC) No. 1272/2008 (CLP) or other known EU regulations. **15.1.2 National regulations** Classification and labelling: None according to the Hazardous Substances Ordinance (GefStoffV) or according to other known national regulations **Employment restrictions:** None according to GefStoffV, JArbSchG or MuSchV The product is not subject to the Major Accidents Major Accidents Ordinance: Ordinance. Water hazard class: No WGK, not hazardous to water according to AwSV.

#### 16. Additional information

#### 16.1 Summary of the H-Statements (chapters 3.3)

- H228 Flammable solid
- H261 In contact with water releases flammable gases
- Causes skin irritation H315
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- May cause long lasting harmful effects to aquatic life H413

#### 16.2 **Recommended Limitations of Use**

SiLiglam is not a toy and must therefore be stored away from children. A resale as toy requires the EC conformity evaluation and the distributor's compliance with the legal regulations. We expressly point out, that a conformity evaluation in this sense has not been carried out by us.

#### 16.3 **Further information**

Company details: Sigmund Lindner GmbH Oberwarmensteinacher Str. 38 95485 Warmensteinach / GERMANY Phone: +49-9277-9940 Fax: +49-9277-99499 Web: www.sili.eu

Technical contacts:	Mr. Erwin Pschierer (Product Manager Glitter)
information	Mrs. Manuela Pilz (Product Manager Glitter)



SILIGIAN F		JPARALI		
First created on:	2019-01-22	Updated on:	2022-03-29	
Next inspection on:	2022-12-31	Printed on:	2022-03-29	

Version: V9/2022

### 16.4 Used abbreviations

A:	Alveolar Dust	
ADR:	Accord européen relative au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
AGW:	Occupational exposure limit according to TRGS 900	
BGW:	Biological limit value according to TRGS 903	
CAS:	Chemical Abstracts Service (division of the American Chemical Society)	
CI Nº:	Color Index Number	
CLP:	Classification, Labelling and Packaging of Substances and Mixtures	
E:	Inhalable Dust	
EC Nº:	EINECS Number (European Inventory of Existing Commercial Chemical Substances)	
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals	
IATA:	International Air Transport Association	
ICAO:	International Civil Aviation Organization	
IMDG:	International Maritime Code for Dangerous Goods	
REACH:	Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals.	
RID:	Règlement concernant le transport international ferroviaire des	
	marchandises dangereuses (Regulations Concerning the International	
	Transport of Dangerous Goods by Rail)	
TRGS:	Technical Rules for Hazardous Substances	
WGK:	Water hazard class	

#### 16.5 **Remarks**

All details noted in this data sheet correspond to our knowledge at the time this data sheet has been put into effect. This information should be used as a guideline for a safe treatment in accordance with the products mentioned in our material safety data sheet, during storage, production, transport, and disposal. This information is not applicable to other products, to newly produced materials, if the product mentioned in this material safety data sheet is mixed or blended with other articles or when other transformations are made to it.

Date of the current version:	2022-03-29
Reason for the current version:	classification of Silica
Replaced issue:	MSDS en SiLiglam PURE BIO SPARKLE, Version 8/2022