

According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Co	smetic Iri	S		
First created on:	2016-08-03	Updated on:	2022-03-15	
Next inspection on:	2022-12-31	Printed on:	2022-03-15	Version: V13/2022

Note: The product is an object defined as an article in the Regulation (EC) No. 1907/2006 (REACH) Art. 3 Par. 3, not classified as dangerous or not containing substances classified as dangerous, so there is no obligation to issue a safety data sheet according to the Regulation (EC) No. 1907/2006 Art. 31 (Requirements for safety data sheets). The following information complies with the obligation according to Art. 32 (for substances on their own or in preparations for which a safety data sheet is not required) and was issued following the structure by Annex II.

1. Identification of the substance / the preparation / the product and identification of the company

1.1 Identification of the substance / the preparation / the product

Trade name: SiLiglit Cosmetic Iris

1.2 Application of the substance / the preparation / the product

To be used as:	Raw material / additive for cosmetics
Unsubscribed use:	unknown

1.3 Company identification

Manufacturer / Supplier:

Sigmund Lindner GmbH Oberwarmensteinacher Str. 38 95485 Warmensteinach / GERMANY Phone: +49-9277-9940 Fax: +49-9277-99499 Web: www.sili.eu E-Mail: reach@sili.eu

Information provided by: Mr. Michael Dressler (Head of Quality) Mr. Reinhold Schneider (Quality Manager)

1.4 Emergency Call

Emergency information:

Phone: +49-9277-9940

This telephone number can be reached during Office Hours (CET):Monday - Thursday:7.00 AM - 4.30 PMFriday.7.00 AM - 1.00 PM

2. Possible dangers

2.1 <u>Classification of the substance or mixture</u>

Not classified according to Regulation (EG) No. 1272/2008 (CLP).

2.2. Labeling elements

Not subject to labeling according to Regulation (EG) No. 1272/2008 (CLP).

2.3. Additional danger advice

No risks from this product regarding human health or environment are apparent. We therefore have no knowledge of chronic or skin irritating effects when physical contacts have occurred.

According to Attachment II EC Reg. 1907/2006 (REACH)

2022-12-31

SiLiglit Cosmetic Iris First created on: 2016-08-03

Updated on: 2022-03-15 Printed on: 2022-03-15



Version: V13/2022

3. Composition / detailed information on the ingredients

3.1 <u>Substance</u> Not relevant.

Next inspection on:

- Not relevant
- 3.2 <u>Mixtures</u> Description:

Solid made of polyester-foil

3.3 Ingredients

3.3.1 <u>472IK-3, 476IK-3, 482IK-3:</u>

Substance Name	Classification	Weight	CAS Nº	EC N°	REACH Reg.N°
CI 19140	no hazardous substance		12225-21-7	235-428-9	01-2119950328-34
CI 16035	no hazardous substance	0.5 - 1.3 %	25956-17-6	247-368-0	01-2119935928-21
CI 42090	no hazardous substance		15792-67-3	239-897-0	no registration
Acrylates Copolymer	no hazardous substance	12 - 17 %	25035-69-2	607-492-1	no registration
Polyethylene	no hazardous substance	82 - 87 %	25038-59-9	607-507-1	no registration
Terephthalate Polymers					

4. First-aid measures

4.1. Description of first aid measures

4.1.1 General Advice

After contact with the melted product contaminated clothes need to be changed. In case of fainting, place and transport the person into recovery position. In case of persisting discomfort please contact a physician. To helpers: Please protect yourself.

4.1.2 After Inhalation

After inhalation of dust particles and in particular decomposition gases, take the injured person into fresh air, lay him down and protect him from hypothermia. In case of a fainting spell and existing breathing, place the person in a stabilized side position. Please contact a physician for treatments.

4.1.3 After Skin Contact

In case of contact with the melted product rinse water over the affected areas of skin for at least 15 minutes. Remove contaminated clothes, but do not remove product residues from the skin. Burns have to be covered with sterile bandages. In case of burns, skin irritations or other symptoms please contact a physician.

4.1.4 After Eye Contact

Remove particle carefully from the affected eye. If needed, remove contact lens. Rinse eye 15 minutes thoroughly with plenty of water. Consult a physician if needed.

4.1.5 After Swallowing

Rinse mouth thoroughly and drink plenty of water. In case of indisposition call a physician.

4.2. <u>Main acute and delayed symptoms and effects</u> No information available.

4.3. Advise to the physician

Toxic effects of the product itself except for thermal decomposition and fire are unknown. In case of any discomforts please treat symptomatically.

According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Cosmetic Iris First created on: 2016-08-03

 2016-08-03
 Updated on:
 2022-03-15

 2022-12-31
 Printed on:
 2022-03-15

Version: V13/2022

LINDNER

IGMUND

5. Fire fighting actions

Next inspection on:

5.1. Extinguishing agents

5.1.1 Suitable extinguishing agents:

The product itself is neither combustible nor explosive. Extinguishing agents have to be coordinated with the surrounding fire.

the German quality spinit of quality since 1854

- 5.1.2 For safety reason unsuitable extinguishing agents Jet of water.
- 5.2. <u>Special hazards arising from the substance or mixture</u> Carbon monoxides (CO) and other toxic and flammable gases can be released.
- **5.3.** <u>Special protective equipment</u> An independent respiratory device (isolation device) should be used.

5.4. Additional advice

The product can ignite in case of fire and can continue to burn outside of the source of ignition. Toxic-, flammable gases and vapours can be released through thermal decomposition. It is possible that flames can spread through spontaneous ignition of gaseous decomposition products. Please cool the melted product with water. Collect the burn residues and water for fire fighting in compliance with the legal regulations.

6. Measures by accidental release

6.1. <u>Personal precautions, protective equipment, and emergency procedures</u> Avoid formation of dust, do not inhale dust. Keep sources of ignition away from the dust.

6.2. <u>Environmental measures</u>

Wastewater must be mechanically cleaned from rest products prior to emptying into the sewer system.

6.3. <u>Cleaning procedures and absorption</u> Dry absorption and if possible, re-utilisation of the material.

6.4. <u>Reference to other sections</u>

Personal protective equipment according to section 8.2, disposal according to section 13.

7. Handling and storage

7.1. Protective measures for safe handling

7.1.1 Safety advice

Avoid overheating through improper processing and dusting.

7.1.2 Technical protective measures

Local ventilation and airing guarantee, that all limits mentioned under point 8.1 are maintained.

7.1.3

Fire and explosion protection information

Keep away from sources of ignition

According to Attachment II EC Reg. 1907/2006 (REACH)



SiLiglit Cosmetic Iris

First created on:	2016-08-03	Updated on:	2022-03-15
Next inspection on:	2022-12-31	Printed on:	2022-03-15

Version: V13/2022

7.2. Conditions for safe storage under consideration of incompatibilities

7.2.1 Requirements for storage in rooms and containers

No special storage necessary. Storage in tightly closed (original) container.

7.2.2 Additional details regarding storage

Protect from heat. Comply with the appropriate regulations of the company's fire prevention measures.

7.2.3 Information on storage in one common storage facility:

Storage class according to TRGS 510: LGK 11 (flammable solid materials). No incompatible products to mention.

7.3. Specific end uses

See section 1.2.

8. Exposure limits and personal protection

8.1 Parameters to be monitored

Mechanical dry processing of the product can generate a risk of dust: The local limits of dust concentration at the work have to be considered.

Parameter	Limit values dust		
General limit value	10 mg/m³ E	Limit at work (AGW) according to the TRGS 900 Regulation	
	1.25 mg/m ³ A		

8.2 Exposure controls and monitoring

8.2.1 <u>Technical protection measures</u>

An on-site extraction system is required in the event of gathered dust and thermal pollution from the product.

8.2.2 Personal protection equipment

8.2.2.1 Respiratory protection

Use respiratory protection in the event of dust exposure, e.g., a P1 dust mark that conforms to EN 143 or a half mask with particle filter FFP1 or PP2 conforms to EN 141. Caution! Limited wearing period.

8.2.2.2 Hand protection

Protective gloves are generally not required. In case of constant skin contact, gloves are sufficient for low mechanical and material stress, see also BGR 195, e.g.:

Material:	Material thickness	Penetration time:
Butyl rubber	min. 0.4 mm	min. 30 min. acc. to DIN EN 374

8.2.2.3 Eye protection

Side-shielded safety goggles that conform to EN 166 are required when carrying out mechanical processing with exposure to dust.

8.2.2.3 Body protection

Safety shoes to wear the product, as well as normal work clothes are sufficient.



According to Attachment II EC Reg. 1907/2006 (REACH)

SILIGHT CO	smetic iri	S	
First created on:	2016-08-03	Updated on:	2022-03-15
Next inspection on:	2022-12-31	Printed on:	2022-03-15

Version: V13/2022

8.2.2.4 General industrial safety and hygiene measures

Do not inhale dust. Avoid contact with eyes. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of work.

8.2.3 Limitation and monitoring of environmental exposure

Environmentally hazardous properties of the product are not known, so that the general operational measures for environmental protection are sufficient.

9. Physical and chemical properties

9.1 General details

Physical condition:	Solid
Shape:	Glitter particles in hexagonal or square shapes
Odour:	Odourless
Colour:	Various (refer to table regarding colour proportions,
	Chapter 3.3)

9.2 Important details regarding health / environmental protection as well as safety

pH value:	Not applicable
Heat resistance:	110 ° C
Colour loss temperature:	215 °C
Melting point / melting range:	not known
Boiling point / boiling range:	Cannot be measured as decomposition occurs first
Flash point:	Not applicable
Ignition temperature:	> 300 ° C
Self-ignition point (Solid/Gas):	Not self-igniting
Blaze properties:	None
Risk of explosion:	Possible dust- or decomposition gas explosion
Vapour pressure:	To be disregarded
Specific weight: Water solubility: Partition coefficient n-Octanol/ water: Viscosity: Vapour density: Evaporation speed:	1.30 kg/dm ³ Insoluble in water Not applicable Not applicable Not applicable Not applicable

9.3 Additional details

There are no further details required regarding safety-relevant parameters.

10. Stability and reactivity

It is recommended to carry out a trial run prior to processing the product.

10.1. Reactivity

Not reactive under the stated conditions of use and storage.

10.2 Conditions to be avoided

Pyrolysis, dangerous decomposition products and dangerous reactions will not occur if the product is used as intended.



According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Cosmetic Iris

 First created on:
 2016-08-03
 Updated on:
 2022-03-15

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-15

Version: V13/2022

10.3 Substances to be avoided

Potent acids, bases, and oxidation agents. Protect from temperatures > 150 °C

10.4 Dangerous decomposition products when heated Aldehyde, carbon monoxide, carbon dioxide, hydrocarbons.

11. Toxicological data

11.1. Information on toxicological effects

- **11.1.1 Toxicokinetic, metabolism and distribution** No data available.
- **11.1.2 Acute toxicity** No data available.
- **11.1.3 Etching and irritant effects** The contact with the melted product can cau

The contact with the melted product can cause burn wounds. The inhalation of dust and decomposition gases can cause health defects.

11.1.4 Sensitizing effects

No sensitizing effects on skin and respiratory organs known.

- **11.1.5 Specific organ toxicity at single or repeated exposure** No organ toxic effects known.
- **11.1.6 Carcinogenicity, mutagenicity, and reproductive toxicity** No carcinogenic, mutagenic, or toxic to reproduction effects known.

12. Environmental details

- **12.1. Toxicity** No data available.
- **12.2.** Persistence and degradability The product is insoluble and the inorganic substances it contains are not bioavailable.

12.3. Bioaccumulation potential

The product is insoluble and the inorganic substances it contains are not bioavailable, thus not bio accumulative.

12.4. Mobility in the ground

The product is insoluble and therefore not mobile.

12.5. Other adverse effects

Ozone depletion potential and greenhouse effect are not known.

Ecological and ecotoxicological data are not available. A threat to the environment is not to be expected if the product is handled and disposed of safely.



According to Attachment II EC Reg. 1907/2006 (REACH)

SILIGIIT CO	smetic Iri	S		
First created on:	2016-08-03	Updated on:	2022-03-15	
Next inspection on:	2022-12-31	Printed on:	2022-03-15	Version: V13/2022
i				
13. Notes o	on disposal			

13.1 Waste treatment process

The product does not generate any waste that is subject to monitoring in accordance with Regulation (EU) No. 1357/2014. For disposal, national laws and local regulations must be observed.

13.1.1 Product

- -

. .

Product residues should be reused wherever possible.

13.1.2 Uncleaned packaging

Recommendation: Non-contaminated packaging can be reused. Cleaning agent Water.

14.	Information on Transport	
14.1	<u>UN-Number</u>	not relevant
14.2.	Proper UN shipping name	not relevant
14.3.	Transport hazard classes	not relevant
14.4.	Packaging group	not relevant
14.5.	Environmental hazards	see section 14
14.6.	Special precautions for the user	see section 7
14.7.	Transport in bulk in accordance with Annex II to the MARPOL Convention and the IBC Code	not relevant

Note: No dangerous goods as defined by ADR/RID/ADN/GGVSEB, ICAO/IATA, IMDG.

15. Legal provisions

15.1 <u>Safety, health, and environmental protection/legislation specific to the substance or mixture</u>

15.1.1	EU-regulations Classification and labelling:	None according to Directive (EC) No. 1272/2008 (CLP) or other known EU regulations.
15.1.2	National regulations Classification and labelling:	None according to the Hazardous Substances Ordinance (GefStoffV) or according to other known national regulations
	Employment restrictions:	None according to GefStoffV, JArbSchG or MuSchV
	Major Accidents Ordinance:	The product is not subject to the Major Accidents Ordinance.
	Water hazard class:	No WGK, not hazardous to water according to AwSV.

EU Safety Data Sheet According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Cosmetic Iris First created on:

2016-08-03 Updated on: 2022-03-15 2022-12-31 Printed on: 2022-03-15

Version: V13/2022

LINDNER

IGMUND

16. **Additional information**

Next inspection on:

16.1 **Recommended Limitations of Use**

Glitter is not a toy and must therefore be stored away from children. A resale as toy requires the EC conformity evaluation and the distributor's compliance with the legal regulations. We expressly point out, that a conformity evaluation in this sense has not been carried out by us.

Sigmund Lindner GmbH

the German quality spirit of quality since 1854

16.2 **Further information**

Company details:

	Oberwarmensteinacher Str. 38 95485 Warmensteinach / GERMANY		
	Phone: Fax: Web:	+49-9277-9940 +49-9277-99499 <u>www.sili.eu</u>	
Technical contacts: information		Pschierer (Product Manager Glitter) ela Pilz (Product Manager Glitter)	

16.3 **Used abbreviations**

A:	Alveolar Dust
ADR:	Accord européen relative au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW:	Occupational exposure limit according to TRGS 900
BGW:	Biological limit value according to TRGS 903
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
CI Nº:	Color Index Number
CLP:	Classification, Labelling and Packaging of Substances and Mixtures
E:	Inhalable Dust
EC Nº:	EINECS Number (European Inventory of Existing Commercial Chemical Substances)
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals
IATA:	International Air Transport Association
ICAO:	International Civil Aviation Organization
IMDG:	International Maritime Code for Dangerous Goods
REACH:	Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals.
RID:	Règlement concernant le transport international ferroviaire des
	marchandises dangereuses (Regulations Concerning the International
	Transport of Dangerous Goods by Rail)
TRGS:	Technical Rules for Hazardous Substances
WGK:	Water hazard class

i quality pirit of e 1854



According to Attachment II EC Reg. 1907/2006 (REACH)

SILIGHT CO	smetic Iris
First created on:	2016-08-03
Next inspection on:	2022-12-31

	2016-08-03	Updated on:	2022-03-15
:	2022-12-31	Printed on:	2022-03-15

16.4 **Remarks**

All details noted in this data sheet correspond to our knowledge at the time this data sheet has been put into effect. This information should be used as a guideline for a safe treatment in accordance with the products mentioned in our material safety data sheet, during storage, production, transport, and disposal. This information is not applicable to other products, to newly produced materials, if the product mentioned in this material safety data sheet is mixed or blended with other articles or when other transformations are made to it.

Date of the current version: Reason for the current version: Replaced issue:

2022-03-15 product range changes MSDS en SiLiglit Cosmetic Iris, Version 12/2021



According to Attachment II EC Reg. 1907/2006 (REACH)

SILIGIIT CO	smetic G	litter		
First created on:	2016-08-03	Updated on:	2022-03-15	
Next inspection on:	2022-12-31	Printed on:	2022-03-15	Version: V12/2022

Note: The product is an object defined as an article in the Regulation (EC) No. 1907/2006 (REACH) Art. 3 Par. 3, not classified as dangerous or not containing substances classified as dangerous, so there is no obligation to issue a safety data sheet according to the Regulation (EC) No. 1907/2006 Art. 31 (Requirements for safety data sheets). The following information complies with the obligation according to Art. 32 (for substances on their own or in preparations for which a safety data sheet is not required) and was issued following the structure by Annex II.

1. Identification of the substance / the preparation / the product and identification of the company

1.1 Identification of the substance / the preparation / the product

Trade name: SiLiglit Cosmetic Glitter opaque

1.2 Application of the substance / the preparation / the product

To be used as:	Raw material / additive for cosmetics
Unsubscribed use:	unknown

1.3 Company identification

Manufacturer / Supplier:

Sigmund Lindner GmbH Oberwarmensteinacher Str. 38 95485 Warmensteinach / GERMANY Phone: +49-9277-9940 Fax: +49-9277-99499 Web: www.sili.eu E-Mail: reach@sili.eu

Information provided by: Mr. Michael Dressler (Head of Quality) Mr. Reinhold Schneider (Quality Manager)

1.4 Emergency Call

Emergency information:

Phone: +49-9277-9940

This telephone number can be reached during Office Hours (CET):Monday - Thursday:7.00 AM - 4.30 PMFriday.7.00 AM - 1.00 PM

2. Possible dangers

2.1 <u>Classification of the substance or mixture</u>

Not classified according to Regulation (EG) No. 1272/2008 (CLP).

2.2. Labeling elements

Not subject to labeling according to Regulation (EG) No. 1272/2008 (CLP).

2.3. Additional danger advice

No risks from this product regarding human health or environment are apparent. We therefore have no knowledge of chronic or skin irritating effects when physical contacts have occurred.

According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Cosmetic Glitter First created on: 2016-08-03 Upda

 First created on:
 2016-08-03
 Updated on:
 2022-03-15

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-15

IGMUND LINDNER

Version: V12/2022

3. Composition / detailed information on the ingredients

3.1 <u>Substance</u>

Not relevant.

3.2 <u>Mixtures</u>

Description:

Solid made of coated polyester-foil

pinit of quality since 1854

3.3 Ingredients

Substance Name	Classification	Weight	CAS Nº	EC N°	REACH Reg. N°
Polyurethane Coating	no hazardous substance	3 %	68258-82-2	682-783-4	no registration
Barium Sulfate	no hazardous substance	16 %	7727-43-7	231-784-4	01-2119491274-35
CI 77891	no hazardous substance	5 %	13463-67-7	643-044-1	01-2119489379-17
CI 19140	no hazardous substance		12225-21-7	235-428-9	01-2119950328-34
CI 77491	no hazardous substance		1332-37-2	215-570-8	no registration
CI 77266 (nano)	no hazardous substance	depends	1333-86-4	215-609-9	01-2119384822-32
CI 15880	no hazardous substance	on colour	6417-83-0	229-142-3	01-2120100828-59
CI 15850	no hazardous substance	shade	5281-04-9	226-109-5	01-2120768620-53
CI 77510	Aquatic Chronic 4; H413	1.3 %	25869-00-5	247-304-1	01-2119555296-32
CI 16035	no hazardous substance		25956-17-6	247-368-0	01-2119935928-21
Polyethylene Terephthalate Polymers	no hazardous substance	74.7 %	25038-59-9	607-507-1	no registration

4. First-aid measures

4.1. Description of first aid measures

4.1.1 General Advice

After contact with the melted product contaminated clothes need to be changed. In case of fainting, place and transport the person into recovery position. In case of persisting discomfort please contact a physician. To helpers: Please protect yourself.

4.1.2 After Inhalation

After inhalation of dust particles and in particular decomposition gases, take the injured person into fresh air, lay him down and protect him from hypothermia. In case of a fainting spell and existing breathing, place the person in a stabilized side position. Please contact a physician for treatments.

4.1.3 After Skin Contact

In case of contact with the melted product rinse water over the affected areas of skin for at least 15 minutes. Remove contaminated clothes, but do not remove product residues from the skin. Burns have to be covered with sterile bandages. In case of burns, skin irritations or other symptoms please contact a physician.

4.1.4 After Eye Contact

Remove particle carefully from the affected eye. If needed, remove contact lens. Rinse eye 15 minutes thoroughly with plenty of water. Consult a physician if needed.

4.1.5 After Swallowing

Rinse mouth thoroughly and drink plenty of water. In case of indisposition call a physician.



According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Co	osmetic Gl	itter
Einst and stad and	0040 00 00	م م ا م ا ا

 First created on:
 2016-08-03
 Updated on:
 2022-03-15

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-15

Version: V12/2022

4.2. <u>Main acute and delayed symptoms and effects</u> No information available.

4.3. <u>Advise to the physician</u>

Toxic effects of the product itself except for thermal decomposition and fire are unknown. In case of any discomforts please treat symptomatically.

5. Fire fighting actions

5.1. Extinguishing agents

5.1.1 Suitable extinguishing agents:

The product itself is neither combustible nor explosive. Extinguishing agents have to be coordinated with the surrounding fire.

5.1.2 For safety reason unsuitable extinguishing agents Jet of water.

5.2. Special hazards arising from the substance or mixture Carbon monoxides (CO) and other toxic and flammable gases can be released.

5.3. Special protective equipment

An independent respiratory device (isolation device) should be used.

5.4. Additional advice

The product can ignite in case of fire and can continue to burn outside of the source of ignition. Toxic-, flammable gases and vapours can be released through thermal decomposition. It is possible that flames can spread through spontaneous ignition of gaseous decomposition products. Please cool the melted product with water. Collect the burn residues and water for fire fighting in compliance with the legal regulations.

6. Measures by accidental release

6.1. Personal precautions, protective equipment, and emergency procedures

Avoid formation of dust, do not inhale dust. Keep sources of ignition away from the dust.

6.2. <u>Environmental measures</u>

Wastewater must be mechanically cleaned from rest products prior to emptying into the sewer system.

- **6.3.** <u>Cleaning procedures and absorption</u> Dry absorption and if possible, re-utilisation of the material.
- **6.4.** Reference to other sections Personal protective equipment according to section 8.2, disposal according to section 13.

7. Handling and storage

7.1. Protective measures for safe handling

7.1.1 Safety advice

Avoid overheating through improper processing and dusting.



According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Cosmetic Glitter

 First created on:
 2016-08-03
 Updated on:
 2022-03-15

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-15

7.1.2 Technical protective measures

Local ventilation and airing guarantee, that all limits mentioned under point 8.1 are maintained.

7.1.3 Fire and explosion protection information

Keep away from sources of ignition.

- 7.2. Conditions for safe storage under consideration of incompatibilities
- **7.2.1** Requirements for storage in rooms and containers No special storage necessary. Storage in tightly closed (original) container.
- **7.2.2** Additional details regarding storage Protect from heat. Comply with the appropriate regulations of the company's fire prevention measures.
- **7.2.3 Information on storage in one common storage facility:** Storage class according to TRGS 510: LGK 11 (flammable solid materials). No incompatible products to mention.
- 7.3. Specific end uses

S.

See section 1.2.

8. Exposure limits and personal protection

8.1 Parameters to be monitored

Mechanical dry processing of the product can generate a risk of dust: The local limits of dust concentration at the work have to be considered.

Parameter	Limit values dust	
General limit value	10 mg/m³ E	Limit at work (AGW) according to the TRGS 900 Regulation
	1.25 mg/m ³ A	

8.2 Exposure controls and monitoring

8.2.1 <u>Technical protection measures</u>

An on-site extraction system is required in the event of gathered dust and thermal pollution from the product.

8.2.2 Personal protection equipment

8.2.2.1 Respiratory protection



Use respiratory protection in the event of dust exposure, e.g. a P1 dust mark that conforms to EN 143 or a half mask with particle filter FFP1 or PP2 conforms to EN 141. Caution! Limited wearing period.

8.2.2.2 Hand protection

Protective gloves are generally not required. In case of constant skin contact, gloves aresufficient for low mechanical and material stress, see also BGR 195, e.g.:Material:Material thicknessButyl rubbermin. 0.4 mmMaterial:DIN EN 374

According to Attachment II EC Reg. 1907/2006 (REACH)

Sili	alīt	Cosme	tic (Glitter

First created on:	2016-08-03	Updated on:	2022-03-15
Next inspection on:	2022-12-31	Printed on:	2022-03-15

LINDNER

GMUND

8.2.2.3 Eye protection



Side-shielded safety goggles that conform to EN 166 are required when carrying out mechanical processing with exposure to dust.

the German quality spinit of quality spinit of quality

8.2.2.3 Body protection

Safety shoes to wear the product, as well as normal work clothes are sufficient.

8.2.2.4 General industrial safety and hygiene measures

Do not inhale dust. Avoid contact with eyes. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of work.

8.2.3 Limitation and monitoring of environmental exposure

Environmentally hazardous properties of the product are not known, so that the general operational measures for environmental protection are sufficient.

9. Physical and chemical properties

9.1 General details

Physical condition: Shape:	Solid Glitter particles in either rectangular, hexagonal or
	square shapes
Odour:	Odourless
Color:	Various (refer to table regarding colour proportions,
	Chapter 3.3)

9.2 Important details regarding health / environmental protection as well as safety

pH value: Heat resistance COSM-3PU: Melting point / melting range:	Not applicable 175 °C 235 to 290 °C - depending on the crystallinity of the polyester
Boiling point / boiling range:	Cannot be measured as decomposition occurs first
Flash point:	Not applicable
Ignition temperature:	> 300 ° C
Self-ignition point (Solid/Gas):	Not self-igniting
Blaze properties:	None
Risk of explosion:	Possible dust- or decomposition gas explosion
Vapour pressure:	To be disregarded
Specific weight:	1.20 - 1.38 kg/dm³
Water solubility:	Insoluble in water
Partition coefficient n-Octanol/	Not applicable
water:	
Viscosity:	Not applicable
Vapour density:	Not applicable
Evaporation speed:	Not applicable

9.3 Additional details

There are no further details required regarding safety-relevant parameters.

The German quality spirit of quality since 1854



According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Cosmetic Glitter First created on: 2016-08-03 Updated on: 2022-03-15 Next inspection on: 2022-12-31 Printed on: 2022-03-15

Version: V12/2022

10. Stability and reactivity

It is recommended to carry out a trial run prior to processing the product.

10.1. <u>Reactivity</u>

Not reactive under the stated conditions of use and storage.

10.2 Conditions to be avoided

Pyrolysis, dangerous decomposition products and dangerous reactions will not occur if the product is used as intended.

10.3 Substances to be avoided

Potent acids, bases, and oxidation agents. Protect from temperatures > 150 °C

10.4 Dangerous decomposition products when heated Aldehyde, carbon monoxide, carbon dioxide, hydrocarbons.

11. Toxicological data

11.1. Information on toxicological effects

- **11.1.1 Toxicokinetic, metabolism and distribution** No data available.
- 11.1.2 Acute toxicity

No data available.

11.1.3 Etching and irritant effects

The contact with the melted product can cause burn wounds. The inhalation of dust and decomposition gases can cause health defects.

11.1.4 Sensitizing effects

No sensitizing effects on skin and respiratory organs known.

- **11.1.5 Specific organ toxicity at single or repeated exposure** No organ toxic effects known.
- **11.1.6 Carcinogenicity, mutagenicity, and reproductive toxicity** No carcinogenic, mutagenic, or toxic to reproduction effects known.

12. Environmental details

- **12.1. Toxicity** No data available.
- **12.2.** Persistence and degradability The product is insoluble and the inorganic substances it contains are not bioavailable.

12.3. Bioaccumulation potential

The product is insoluble and the inorganic substances it contains are not bioavailable, thus not bio accumulative.



According to Attachment II EC Reg. 1907/2006 (REACH)

SILIGHT Cosmetic Glitter

First created on:	2016-08-03	Updated on:	2022-03-15	
Next inspection on:	2022-12-31	Printed on:	2022-03-15	

Version: V12/2022

12.4. Mobility in the ground

The product is insoluble and therefore not mobile.

12.5. Other adverse effects

Ozone depletion potential and greenhouse effect are not known.

Ecological and ecotoxicological data are not available. A threat to the environment is not to be expected if the product is handled and disposed of safely.

13. Notes on disposal

13.1 Waste treatment process

The product does not generate any waste that is subject to monitoring in accordance with Regulation (EU) No. 1357/2014. For disposal, national laws and local regulations must be observed.

13.1.1 Product

Product residues should be reused wherever possible.

13.1.2 Uncleaned packaging

Recommendation: Non-contaminated packaging can be reused. Cleaning agent Water.

14.	Information on Transport	
14.1	<u>UN-Number</u>	not relevant
14.2.	Proper UN shipping name	not relevant
14.3.	Transport hazard classes	not relevant
14.4.	Packaging group	not relevant
14.5.	Environmental hazards	see section 14
14.6.	Special precautions for the user	see section 7
14.7.	Transport in bulk in accordance with Annex II to the MARPOL Convention and the IBC Code	not relevant

Note: No dangerous goods as defined by ADR/RID/ADN/GGVSEB, ICAO/IATA, IMDG.

15. Legal provisions

15.1 <u>Safety, health, and environmental protection/legislation specific to the substance or mixture</u>

15.1.1	EU-regulations Classification and labelling:	None according to Directive (EC) No. 1272/2008 (CLP) or other known EU regulations.
15.1.2	National regulations Classification and labelling:	None according to the Hazardous Substances Ordinance (GefStoffV) or according to other known national regulations
	Employment restrictions:	None according to GefStoffV, JArbSchG or MuSchV

According to Attachment II EC Reg. 1907/2006 (REACH)



First created on:	2016-08-03	Updated on:	2022-03-15			
Next inspection on:	2022-12-31	Printed on:	2022-03-15			Version: V12/2022

Major Accidents Ordinance:

The product is not subject to the Major Accidents Ordinance.

Water hazard class:

No WGK, not hazardous to water according to AwSV.

16. Additional information

16.1 <u>Summary of the H-Statements (chapters 3.3)</u>

H413 May cause long lasting harmful effects to aquatic life

16.2 <u>Recommended Limitations of Use</u>

Glitter is not a toy and must therefore be stored away from children. A resale as toy requires the EC conformity evaluation and the distributor's compliance with the legal regulations. We expressly point out, that a conformity evaluation in this sense has not been carried out by us.

16.3 **Further information**

Company details:	Sigmund Lindner GmbH Oberwarmensteinacher Str. 38 95485 Warmensteinach / GERMAN Phone: +49-9277-9940		
	Phone: Fax: Web:	+49-9277-9940 +49-9277-99499 <u>www.sili.eu</u>	
Technical contacts: information		Pschierer (Product Manager Glitter) ela Pilz (Product Manager Glitter)	

16.4 Used abbreviations

A:	Alveolar Dust
ADR:	Accord européen relative au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW:	Occupational exposure limit according to TRGS 900
BGW:	Biological limit value according to TRGS 903
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
CI Nº:	Color Index Number
CLP:	Classification, Labelling and Packaging of Substances and Mixtures
E:	Inhalable Dust
EC Nº:	EINECS Number (European Inventory of Existing Commercial Chemical Substances)
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals
IATA:	International Air Transport Association
ICAO:	International Civil Aviation Organization
IMDG:	International Maritime Code for Dangerous Goods
REACH:	Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals.
RID:	Règlement concernant le transport international ferroviaire des
	marchandises dangereuses (Regulations Concerning the International
	Transport of Dangerous Goods by Rail)
TRGS:	Technical Rules for Hazardous Substances
WGK:	Water hazard class



According to Attachment II EC Reg. 1907/2006 (REACH)

SILIGHT CO	smetic GI	litter	
First created on:	2016-08-03	Updated on:	2022-03-15
Next inspection on:	2022-12-31	Printed on	2022-03-15

16.4 **Remarks**

All details noted in this data sheet correspond to our knowledge at the time this data sheet has been put into effect. This information should be used as a guideline for a safe treatment in accordance with the products mentioned in our material safety data sheet, during storage, production, transport, and disposal. This information is not applicable to other products, to newly produced materials, if the product mentioned in this material safety data sheet is mixed or blended with other articles or when other transformations are made to it.

-15

Date of the current version: Reason for the current version: Replaced issue:

2022-03-15 adjustment of hazardous classification information MSDS en SiLiglit Cosmetic opaque, Version 11/2021



According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Cosmetic Glitter					
First created on:	2016-08-03	Updated on:	2022-02-24		
Next inspection on:	2022-12-31	Printed on:	2022-02-24	Version: V26/2022	

Note: The product is an object defined as an article in the Regulation (EC) No. 1907/2006 (REACH) Art. 3 Par. 3, not classified as dangerous or not containing substances classified as dangerous, so there is no obligation to issue a safety data sheet according to the Regulation (EC) No. 1907/2006 Art. 31 (Requirements for safety data sheets). The following information complies with the obligation according to Art. 32 (for substances on their own or in preparations for which a safety data sheet is not required) and was issued following the structure by Annex II.

1. Identification of the substance / the preparation / the product and identification of the company

1.1 Identification of the substance / the preparation / the product

Trade name:

Cosmetic Glitter

1.2 Application of the substance / the preparation / the product

To be used as:	Raw material / additive for cosmetics
Unsubscribed use:	unknown

1.3 Company identification

Manufacturer / Supplier:

Sigmund Lindner GmbH Oberwarmensteinacher Str. 38 95485 Warmensteinach / GERMANY Phone: +49-9277-9940 Fax: +49-9277-99499 Web: www.sili.eu E-Mail: reach@sili.eu

Information provided by: Mr. Michael Dressler (Head of Quality) Mr. Reinhold Schneider (Quality Manager)

1.4 Emergency Call

Emergency information:

Phone: +49-9277-9940

This telephone number can be reached during Office Hours (CET):Monday - Thursday:7.00 AM - 4.30 PMFriday.7.00 AM - 1.00 PM

2. Possible dangers

2.1 <u>Classification of the substance or mixture</u>

Not classified according to Regulation (EG) No. 1272/2008 (CLP).

2.2. Labeling elements

Not subject to labeling according to Regulation (EG) No. 1272/2008 (CLP).

2.3. Additional danger advice

No risks from this product regarding human health or environment are apparent. We therefore have no knowledge of chronic or skin irritating effects when physical contacts have occurred.

EU Safety Data Sheet According to Attachment II EC Reg. 1907/2006 (REACH)



SiLiglit Cosmetic Glitter 2016-08-03 2022-12-31 First created on: Updated on: Next inspection on: Printed on:

Version: V26/2022

3. Composition / detailed information on the ingredients

- 3.1 **Substance** Not relevant.
- 3.2 **Mixtures** Description:

Solid made of coated polyester-foil

2022-02-24

2022-02-24

3.3 Ingredients

3.3.1 **Cosmetic Glitter COSM-3 PU**

Substance Name	Classification	Weight	CAS N°	EC N°	REACH Reg. N°
Polyurethane Coating	no hazardous substance	2.5-3.2 %	68258-82-2	682-783-4	no registration
CI 19140	no hazardous substance		12225-21-7	235-428-9	01-2119950328-34
CI 15850	no hazardous substance		5281-04-9	226-109-5	01-2120768620-53
CI 15880	no hazardous substance		6417-83-0	229-142-3	01-2120100828-59
CI 45370	no hazardous substance		596-03-2	209-876-0	01-2120141552-65
CI 45380	Skin Sens. 1; H317 Eye Irrit. 2; H319		17372-87-1	241-409-6	01-2120138551-62
CI 77510	Aquatic Chronic 4; H413		25869-00-5	247-304-1	01-2119555296-32
CI 47005	no hazardous substance		95193-83-2	305-897-5	01-2120752822-53
CI 77491	no hazardous substance		1332-37-2	215-570-8	no registration
CI 45410	Eye Irrit. 2; H319 Aquatic Chronic 2; H411	depends on article,	18472-87-2	242-355-6	01-2120115907-54
CI 16035	no hazardous substance	between 0 - 1.3 %	25956-17-6	247-368-0	01-2119935928-21
CI 60730	no hazardous substance	0 - 1.3 %	4430-18-6	224-618-7	01-2120115888-46
CI 77266 (nano)	no hazardous substance		1333-86-4	215-609-9	01-2119384822-32
CI 42090	no hazardous substance		15792-67-3	239-897-0	no registration
CI 77000	Water React. 2; H261 Flam. Sol. 1; H228	0 - 0.1 %	7429-90-5	231-072-3	01-2119529243-45
Polyethylene Terephthalate Polymers	no hazardous substance	95.4-97.5 %	25038-59-9	607-507-1	no registration

EU Safety Data Sheet According to Attachment II EC Reg. 1907/2006 (REACH)

The German quality spinit of quality since 1854 SIGMUND LINDNER

SiLiglit Cosmetic Glitter First created on: 2016-08-03 Updated on: 2022-02-24 Next inspection on: 2022-12-31 Printed on: 2022-02-24

Version: V26/2022

3.3.2 Cosmetic Glitter Cosmetic Iris Mix

Substance Name	Classification	Weight	CAS Nº	EC N°	REACH Reg. N°
Polyurethane Coating	no hazardous substance	1 - 2 %	68258-82-2	682-783-4	no registration
CI 19140	no hazardous substance		12225-21-7	235-428-9	01-2119950328-34
CI 15850	no hazardous substance		5281-04-9	226-109-5	01-2120768620-53
CI 15880	no hazardous substance		6417-83-0	229-142-3	01-2120100828-59
CI 45370	no hazardous substance		596-03-2	209-876-0	01-2120141552-65
CI 45380	Skin Sens. 1; H317 Eye Irrit. 2; H319		17372-87-1	241-409-6	01-2120138551-62
CI 77510	Aquatic Chronic 4; H413		25869-00-5	247-304-1	01-2119555296-32
CI 47005	no hazardous substance		95193-83-2	305-897-5	01-2120752822-53
CI 77491	no hazardous substance		1332-37-2	215-570-8	no registration
CI 45410	Eye Irrit. 2; H319 Aquatic Chronic 2; H411	depends on article,	18472-87-2	242-355-6	01-2120115907-54
CI 16035	no hazardous substance	between 0 - 1.3 %	25956-17-6	247-368-0	01-2119935928-21
CI 60730	no hazardous substance	0-1.5 /0	4430-18-6	224-618-7	01-2120115888-46
CI 77266 (nano)	no hazardous substance		1333-86-4	215-609-9	01-2119384822-32
CI 42090	no hazardous substance		15792-67-3	239-897-0	no registration
CI 77000	Water React. 2; H261 Flam. Sol. 1; H228	0.1 %	7429-90-5	231-072-3	01-2119529243-45
Polyethylene Terephthalate Polymers	no hazardous substance	40 - 86 %	25038-59-9	607-507-1	no registration
Polybutylene Terephthalate	Eye Irrit. 2; H319	10 - 40 %	26062-94-2	607-857-5	no registration
Acrylates Copolymer	no hazardous substance	5 - 12.5 %	25035-69-2	607-492-1	no registration
Ethylene Vinyl Acetate Copolymer	no hazardous substance	5 -D 12.5 %	24937-78-8	429-840-1	no registration

3.3.3 Polyester Glitter Grade I Poly-3 PU

Substance Name	Classification	Weight	CAS N°	EC N°	REACH Reg. N°
Polyurethane Coating	no hazardous substance	2.5-3.2 %	68258-82-2	none	no registration
CI 73915	no hazardous substance		980-26-7	213-561-3	01-2119456804-33
CI 21108	no hazardous substance		5567-15-7	226-939-8	01-2119475484-30
CI 74160	no hazardous substance		147-14-8	205-685-1	01-2119458771-32
CI 74260	no hazardous substance	depends on	1328-53-6	215-524-7	01-2119459333-39
CI 73312	no hazardous substance	article 0 - 1.3 %	14295-43-3	238-222-7	no registration
CI 77891	no hazardous substance		13463-67-7	236-675-5	01-2119489379-17
CI 51319	no hazardous substance		6358-30-1	228-767-9	no registration
CI 77266 (nano)	no hazardous substance		1333-86-4	215-609-9	01-2119384822-32
CI 77000	Water React. 2; H261 Flam. Sol. 1; H228	0 - 0.1 %	7429-90-5	231-072-3	01-2119529243-45
Polyethylene Terephthalate Polymers	no hazardous substance	95.4-97.4 %	25038-59-9	607-507-1	no registration

Color 66-3 contains 5% CI77891 and 16 % Barium sulfate - CAS 7727-43-7

According to Attachment II EC Reg. 1907/2006 (REACH)

SILIGHT CO	osmetic G	litter
First created on:	2016-08-03	Upd

Updated on: 2022-02-24 2016-08-03 Next inspection on: 2022-12-31 Printed on: 2022-02-24

Version: V26/2022

LINDNER

GMUND

3.3.4 Polyester Glitter Grade I Holo-3 PU

Substance Name	Classification	Weight	CAS N°	EC N°	REACH Reg. N°
Polyurethane Coating	no hazardous substance	2.5-3.2 %	68258-82-2	682-783-4	no registration
CI 73915	no hazardous substance		980-26-7	213-561-3	01-2119456804-33
CI 21108	no hazardous substance		5567-15-7	226-939-8	01-2119475484-30
CI 74160	no hazardous substance	depends on	147-14-8	205-685-1	01-2119458771-32
CI 74260	no hazardous substance	article,	1328-53-6	215-524-7	01-2119459333-39
CI 51319	no hazardous substance	between	6358-30-1	228-767-9	no registration
CI 77266 (nano)	no hazardous substance	0 – 1.3 %	1333-86-4	215-609-9	01-2119384822-32
CI 77000	Water React. 2; H261	0.1 %	7429-90-5	231-072-3	01-2119529243-45
	Flam. Sol. 1; H228				
Polyethylene	no hazardous substance	95.4-97.4 %	25038-59-9	607-507-1	no registration
Terephthalate					
Polymers					

pinit of quality since 1854

4. **First-aid measures**

4.1 Description of first aid measures

4.1.1 **General Advice**

After contact with the melted product contaminated clothes need to be changed. In case of fainting, place and transport the person into recovery position. In case of persisting discomfort please contact a physician. To helpers: Please protect yourself.

4.1.2 After Inhalation

After inhalation of dust particles and in particular decomposition gases, take the injured person into fresh air, lay him down and protect him from hypothermia. In case of a fainting spell and existing breathing, place the person in a stabilized side position. Please contact a physician for treatments.

4.1.3 After Skin Contact

In case of contact with the melted product rinse water over the affected areas of skin for at least 15 minutes. Remove contaminated clothes, but do not remove product residues from the skin. Burns have to be covered with sterile bandages. In case of burns, skin irritations or other symptoms please contact a physician.

4.1.4 After Eye Contact

Remove particle carefully from the affected eye. If needed, remove contact lens. Rinse eye 15 minutes thoroughly with plenty of water. Consult a physician if needed.

4.1.5 After Swallowing

Rinse mouth thoroughly and drink plenty of water. In case of indisposition call a physician.

4.2. Main acute and delayed symptoms and effects No information available.

4.3. Advise to the physician

Toxic effects of the product itself except for thermal decomposition and fire are unknown. In case of any discomforts please treat symptomatically

According to Attachment II EC Reg. 1907/2006 (REACH) SiLic

SiLiglit Co	smetic Gli	itter	
First created on:	2016-08-03	Updated on:	2022-02

First created on:	2016-08-03	Updated on:	2022-02-24
Next inspection on:	2022-12-31	Printed on:	2022-02-24

LINDNER

IGMUND

5. Fire fighting actions

5.1 **Extinguishing agents**

5.1.1 Suitable extinguishing agents:

The product itself is neither combustible nor explosive. Extinguishing agents have to be coordinated with the surrounding fire.

The German quality spirit of quality since 1854

- 5.1.2 For safety reason unsuitable extinguishing agents Jet of water.
- 5.2. Special hazards arising from the substance or mixture Carbon monoxides (CO) and other toxic and flammable gases can be released.
- Special protective equipment 5.3. An independent respiratory device (isolation device) should be used.

Additional advice 5.4.

The product can ignite in case of fire and can continue to burn outside of the source of ignition. Toxic-, flammable gases and vapours can be released through thermal decomposition. It is possible that flames can spread through spontaneous ignition of gaseous decomposition products. Please cool the melted product with water. Collect the burn residues and water for fire fighting in compliance with the legal regulations.

6. Measures by accidental release

- 6.1. Personal precautions, protective equipment and emergency procedures Avoid formation of dust, do not inhale dust. Keep sources of ignition away from the dust.
- 6.2. **Environmental measures** Wastewater must be mechanically cleaned from rest products prior to emptying into the sewer system.
- 6.3. Cleaning procedures and absorption Dry absorption and if possible, re-utilisation of the material.
- 6.4. **Reference to other sections** Personal protective equipment according to section 8.2, disposal according to section 13.

7. Handling and storage

7.1. Protective measures for safe handling

7.1.1 Safety advice Avoid overheating through improper processing and dusting.

7.1.2 Technical protective measures

Local ventilation and airing guarantee, that all limits mentioned under point 8.1 are maintained.

According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Cosmetic Glitter First created on: 2016-08-03 Updated on: Next inspection on: 2022-12-31 Printed on:

Updated on: 2022-02-24 Printed on: 2022-02-24 e German quality pirit of quality since 1854

Version: V26/2022

LINDNER

IGMUND

7.1.3 Fire and explosion protection information

Keep away from sources of ignition.

7.2. Conditions for safe storage under consideration of incompatibilities

- **7.2.1** Requirements for storage in rooms and containers No special storage necessary. Storage in tightly closed (original) container.
- **7.2.2** Additional details regarding storage Protect from heat. Comply with the appropriate regulations of the company's fire prevention measures.
- **7.2.3 Information on storage in one common storage facility:** Storage class according to TRGS 510: LGK 11 (flammable solid materials). No incompatible products to mention.
- 7.3. <u>Specific end uses</u> See section 1.2.

5

8. Exposure limits and personal protection

8.1 Parameters to be monitored

Mechanical dry processing of the product can generate a risk of dust: The local limits of dust concentration at the work have to be considered.

Parameter	CAS-Number	EINECS	Value	Type of limit
General dust limit				Limit at work (AGW) according to the TRGS 900 Regulation
Aluminum	7429-90-5	231-072-3	50 μg/g Kreatinin	Limit at work (BGW) according to the TRGS 903 Regulation

8.2 Exposure controls and monitoring

8.2.1 <u>Technical protection measures</u>

An on-site extraction system is required in the event of gathered dust and thermal pollution from the product.

8.2.2 Personal protection equipment

8.2.2.1 Respiratory protection



Use respiratory protection in the event of dust exposure, e.g. a P1 dust mark that conforms to EN 143 or a half mask with particle filter FFP1 or PP2 conforms to EN 141. Caution! Limited wearing period.

8.2.2.2 Hand protection

Protective gloves are generally not required. In case of constant skin contact, gloves aresufficient for low mechanical and material stress, see also BGR 195, e.g.:Material:Material thicknessButyl rubbermin. 0.4 mmMaterial:DIN EN 374

According to Attachment II EC Reg. 1907/2006 (REACH)

	SiLiglit Co	osmetic G	litter
1	Electronic standards	0040.00.00	بملما بال

First created on:	2016-08-03	Updated on:	2022-02-24	
Next inspection on:	2022-12-31	Printed on:	2022-02-24	

Version: V26/2022

LINDNER

IGMUND

8.2.2.3 Eye protection



Side-shielded safety goggles that conform to EN 166 are required when carrying out mechanical processing with exposure to dust.

the German quality spinit of quality since 1854

8.2.2.3 Body protection

Safety shoes to wear the product, as well as normal work clothes are sufficient.

8.2.2.4 General industrial safety and hygiene measures

Do not inhale dust. Avoid contact with eyes. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of work.

8.2.3 Limitation and monitoring of environmental exposure

Environmentally hazardous properties of the product are not known, so that the general operational measures for environmental protection are sufficient.

9. Physical and chemical properties

9.1 <u>General details</u>

Physical condition:	Solid
Shape:	Glitter particles in either rectangular, hexagonal or
	square shapes, Glitter-Motives
Odour:	Odourless
Colour:	Various (refer to tables regarding colour proportions,
	Chapter 3.3)

9.2 Important details regarding health / environmental protection as well as safety

pH value: Heat resistance COSM-3PU, : Grade I Poly-3PU, Holo-3PU	Not applicable 175 °C
Heat resistance : Cosmetic Iris Mix, Iris 400-3	150 ° C
Heat resistance:	150 ° C
Melting point / melting range:	235 to 290 °C - depending on the crystallinity of the polyester
Boiling point / boiling range:	Cannot be measured as decomposition occurs first
Flash point:	Not applicable
Ignition temperature:	> 300 ° C
Self-ignition point (Solid/Gas):	Not self-igniting
Blaze properties:	None
Risk of explosion:	Possible dust- or decomposition gas explosion
Vapour pressure:	To be disregarded
Specific weight:	1.20 - 1.38 kg/dm ³
Water solubility:	Insoluble in water
Partition coefficient n-Octanol/ water:	Not applicable
Viscosity:	Not applicable
Vapour density:	Not applicable
Evaporation speed:	Not applicable



According to Attachment II EC Reg. 1907/2006 (REACH)

Silight Cosmetic Gifter						
First created on:	2016-08-03	Updated on:	2022-02-24			
Next inspection on:	2022-12-31	Printed on:	2022-02-24			

9.3 Additional details

There are no further details required regarding safety-relevant parameters.

10. Stability and reactivity

It is recommended to carry out a trial run prior to processing the product.

10.1. Reactivity

Not reactive under the stated conditions of use and storage.

10.2 <u>Conditions to be avoided</u>

Pyrolysis, dangerous decomposition products and dangerous reactions will not occur if the product is used as intended.

10.3 <u>Substances to be avoided</u>

Potent acids, bases, and oxidation agents. Protect from temperatures > 150 °C

10.4 Dangerous decomposition products when heated Aldehyde, carbon monoxide, carbon dioxide, hydrocarbons.

11. Toxicological data

11.1. Information on toxicological effects

11.1.1 Toxicokinetic, metabolism and distribution No data available.

11.1.2 Acute toxicity

No data available.

11.1.3 Etching and irritant effects

The contact with the melted product can cause burn wounds. The inhalation of dust and decomposition gases can cause health defects.

11.1.4 Sensitizing effects

No sensitizing effects on skin and respiratory organs known.

- **11.1.5 Specific organ toxicity at single or repeated exposure** No organ toxic effects known.
- **11.1.6 Carcinogenicity, mutagenicity, and reproductive toxicity** No carcinogenic, mutagenic, or toxic to reproduction effects known.

12. Environmental details

12.1. Toxicity

No data available.



According to Attachment II EC Reg. 1907/2006 (REACH)

SILIGHT CO	osmetic G	litter
Electronic standards	0040.00.00	I be detended as

First created on:	2016-08-03	Updated on:	2022-02-24	
Next inspection on:	2022-12-31	Printed on:	2022-02-24	

12.2. Persistence and degradability

The product is insoluble and the inorganic substances it contains are not bioavailable.

12.3. Bioaccumulation potential

The product is insoluble and the inorganic substances it contains are not bioavailable, thus not bio accumulative.

12.4. Mobility in the ground

The product is insoluble and therefore not mobile.

12.5. Other adverse effects

Ozone depletion potential and greenhouse effect are not known.

Ecological and ecotoxicological data are not available. A threat to the environment is not to be expected if the product is handled and disposed of safely.

13. Notes on disposal

13.1 <u>Waste treatment process</u>

The product does not generate any waste that is subject to monitoring in accordance with Regulation (EU) No. 1357/2014. For disposal, national laws and local regulations must be observed.

13.1.1 Product

Product residues should be reused wherever possible.

13.1.2 Uncleaned packaging

Recommendation: Non-contaminated packaging can be reused. Cleaning agent Water.

14.	Information on Transport	
14.1	<u>UN-Number</u>	not relevant
14.2.	Proper UN shipping name	not relevant
14.3.	Transport hazard classes	not relevant
14.4.	Packaging group	not relevant
14.5.	Environmental hazards	see section 14
14.6.	Special precautions for the user	see section 7
14.7.	Transport in bulk in accordance with Annex II to the MARPOL Convention and the IBC Code	not relevant

Note: No dangerous goods as defined by ADR/RID/ADN/GGVSEB, ICAO/IATA, IMDG.



According to Attachment II EC Reg. 1907/2006 (REACH)

SILIGHT CO	smetic GI	itter
First created on:	2016-08-03	Updated on:
Next inspection on:	2022-12-31	Printed on

Version: V26/2022

15. Legal provisions

15.1 <u>Safety, health, and environmental protection/legislation specific to the substance or mixture</u>

2022-02-24 2022-02-24

15.1.1 EU-regulations

Classifica	ation and labelling:	None according to Directive (EC) No. 1272/2008 (CLP) or other known EU regulations.
15.1.2 National Classifica	regulations ation and labelling:	None according to the Hazardous Substances Ordinance (GefStoffV) or according to other known national regulations
Employm	ent restrictions:	None according to GefStoffV, JArbSchG or MuSchV
Major Ac	cidents Ordinance:	The product is not subject to the Major Accidents Ordinance.
Water ha	zard class:	No WGK, not hazardous to water according to AwSV.

16. Additional information

16.1 <u>Summary of the H-Statements (chapters 3.3)</u>

- H261 In contact with water releases flammable gases
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H411 Toxic to aquatic life with long lasting effects
- H413 May cause long lasting harmful effects to aquatic life

16.2 Recommended Limitations of Use

Glitter is not a toy and must therefore be stored away from children. A resale as toy requires the EC conformity evaluation and the distributor's compliance with the legal regulations. We expressly point out, that a conformity evaluation in this sense has not been carried out by us.

16.3 <u>Further information</u>

Company details:	Sigmund Lindner GmbH Oberwarmensteinacher Str. 38 95485 Warmensteinach / GERMANY	
	Phone: Fax:	+49-9277-9940 +49-9277-99499
	Web:	www.sili.eu
Technical contacts: information	Mr. Erwin Pschierer (Product Manager Glitter) Mrs. Manuela Pilz (Product Manager Glitter)	

According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit Co	smetic Gl	itter		
First created on:	2016-08-03	Updated on:	2022-02-24	
Next inspection on:	2022-12-31	Printed on:	2022-02-24	Version: V26/2022

The German quality spinit of quality since 1854

16.4 <u>Used abbreviations</u>

Alveolar Dust
Accord européen relative au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Occupational exposure limit according to TRGS 900
Biological limit value according to TRGS 903
Chemical Abstracts Service (division of the American Chemical Society)
Color Index Number
Classification, Labelling and Packaging of Substances and Mixtures
Inhalable Dust
EINECS Number (European Inventory of Existing Commercial Chemical Substances)
Globally Harmonized System of Classification and Labeling of Chemicals
International Air Transport Association
International Civil Aviation Organization
International Maritime Code for Dangerous Goods
Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals.
Règlement concernant le transport international ferroviaire des
marchandises dangereuses (Regulations Concerning the International Transport of Dangerous Goods by Rail)
Technical Rules for Hazardous Substances
Water hazard class

16.5 <u>Remarks</u>

All details noted in this data sheet correspond to our knowledge at the time this data sheet has been put into effect. This information should be used as a guideline for a safe treatment in accordance with the products mentioned in our material safety data sheet, during storage, production, transport, and disposal. This information is not applicable to other products, to newly produced materials, if the product mentioned in this material safety data sheet is mixed or blended with other articles or when other transformations are made to it.

Date of the current version:	2022-02-24
Reason for the current version:	adjustment of hazardous classification information
Replaced issue:	MSDS en SiLiglit Cosmetic, Version 25/2021