

According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglit				
First created on:	2015-08-03	Updated on:	2025-03-11	
Next inspection on:	2025-12-31	Printed on:	2025-03-11	Version: V21/2025

Note: The product is an object defined as an article in the Regulation (EC) No. 1907/2006 (REACH) Art. 3 Par. 3, not classified as dangerous or not containing substances classified as dangerous, so there is no obligation to issue a safety data sheet according to the Regulation (EC) No. 1907/2006 Art. 31 (Requirements for safety data sheets). The following information complies with the obligation according to Art. 32 (for substances on their own or in preparations for which a safety data sheet is not required) and was issued following the structure by Annex II.

# 1 Identification of the substance / the preparation / the product and identification of the company

#### 1.1 <u>Product identifier</u>

Trade name:

SiLiglit Glas Glitter, Deco Beads, Glas Flakes, Glas Nuggets

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

To be used as: Unsubscribed use: Decoration article unknown

# 1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier:

Sigmund Lindner GmbH Oberwarmensteinacher Str. 38 95485 Warmensteinach / GERMANY Phone: +49-9277-9940 Fax: +49-9277-99499 Web: www.sili.eu E-Mail: reach@sili.eu

Information provided by:

Mr. Erwin Pschierer (Product Manager)

# 1.4 <u>Emergency Call</u>

Emergency information:

Phone: +49-9277-9940

This telephone number can be reached during Office Hours (CET):Monday - Thursday:7.00 AM - 4.30 PMFriday.7.00 AM - 1.00 PM

# 2 Possible dangers

# 2.1 <u>Classification of the substance or mixture</u>

Not classified according to Regulation (EG) No. 1272/2008 (CLP).

# 2.2 Labeling elements

Not subject to labeling according to Regulation (EG) No. 1272/2008 (CLP).

# 2.3 Other hazards

No risks from this product regarding human health or environment are apparent. We therefore have no knowledge of chronic or skin irritating effects when physical contacts have occurred.

In case of inappropriate handling different kinds of injuries (cuts) are possible. Risk of slipping due to spillage of product!

According to Attachment II EC Reg. 1907/2006 (REACH)



SiLiglit

First created on: 2015-08-03 Next inspection on: 2025-12-31

Updated on: 2025-03-11 Printed on: 2025-03-11

Version: V21/2025

# 3 Composition / detailed information on the ingredients

### 3.1 Substance

No components need to be disclosed according to the applicable regulation.

# 4 First-aid measures

# 4.1 <u>Description of first aid measures</u>

# 4.1.1 General Advice

Remove soiled clothes. In case of health complaints, seek medical treatment. Watch your helpers for self-protection.

# 4.1.2 After Inhalation of dust

Provide fresh air.

### 4.1.3 After Skin Contact

Clean skin with water and soap.

#### 4.1.4 After Eye Contact

Remove particle carefully from the affected eye. If needed, remove contact lenses. Rinse eye 15 minutes thoroughly with plenty of water. Consult a physician if needed.

### 4.1.5 After Swallowing

Consult a physician after swallowing large quantities.

#### **4.2** <u>Main acute and delayed symptoms and effects</u> No information available.

#### **4.3** Information on immediate medical help or special treatment Dusty parts of the product may irritate skin, mucous membranes, eyes, and respiratory tract. Decontamination and symptomatic treatments are in most cases sufficient.

# 5 Firefighting actions

# 5.1 Extinguishing agents

#### 5.1.1 Suitable extinguishing agents:

The product itself is neither combustible nor explosive. Extinguishing agents have to be coordinated with the surrounding fire.

- **5.1.2 For safety reason unsuitable extinguishing agents** Unknown.
- 5.2 <u>Special hazards arising from the substance or mixture</u> No information available.

# 5.3 Instructions for fire fighting

Protective equipment has to be coordinated with the surrounding fire.

According to Attachment II EC Reg. 1907/2006 (REACH)

Sil ialit



OlEight				
First created on:	2015-08-03	Updated on:	2025-03-11	
Next inspection on:	2025-12-31	Printed on:	2025-03-11	Version: V21/2025

# 6 Measures by accidental release

- 6.1 <u>Personal precautions, protective equipment, and emergency procedures</u> Avoid formation of dust, do not inhale dust.
- 6.2 <u>Environmental measures</u>

No special actions necessary.

- 6.3 <u>Methods and materials for retention and cleaning</u> Sweep up the product and pick it up. Avoid dust formation during cleaning.
- 6.4 <u>Reference to other sections</u> Personal protective equipment according to section 8.2, disposal according to section 13.

# 7 Handling and storage

- 7.1 Protective measures for safe handling
- 7.1.1 Notes on safe storage Increased risk of slipping due to spilled product. Avoid dust formation.
- **7.1.2 Information on fire and explosion protection** No data available, the product itself is not flammable and not explosive.
- 7.2 Conditions for safe storage under consideration of incompatibilities
- **7.2.1** Requirements for storage in rooms and containers No special storage necessary. Storage in tightly closed (original) container.
- **7.2.2 Information on storage in one common storage facility:** Storage class according to TRGS 510: LGK 13 (non-flammable solids) No incompatible products to mention.
- 7.3 <u>Specific end uses</u>

See section 1.2.

# 8 Exposure limits and personal protection

# 8.1 Parameters to be monitored

Mechanical dry processing of the product can generate a risk of dust: The local limits of dust concentration at the work have to be considered.

Parameter	CAS-Number	EINECS	Value	Type of limit
General dust limit				Limit at work (AGW) according to the TRGS 900 Regulation
Silica, amorphous (Silicon dioxide)	7631-86-9	601-216-3	0	Limit at work (AGW) according to the TRGS 900 Regulation

# 8.2 Exposure controls and monitoring

# 8.2.1 Technical protection measures

An on-site extraction system is required in the event of gathered dust and thermal pollution from the product.

According to Attachment II EC Reg. 1907/2006 (REACH)



SiLiglit	
First created on:	

First created on: 2015-08-03 Next inspection on: 2025-12-31

Updated on: 2025-03-11 Printed on: 2025-03-11

Version: V21/2025

# 8.2.2 Personal protection equipment

# 8.2.2.1 Respiratory protection



Use respiratory protection in case of dust exposure, e.g. dust mask with particle filter FFP2 or FFP3, according to standard NF EN 149.

Inhalation limitation of the zirconium compound of the Al2O3:

- 5 mg/m3 of Zr for 8 hours (TWA) according to ACGIH, DFG-MAK and OSHA
- 10 mg/m3 of Zr for 15 min (STEL) according to ACGIH and OSHA

Inhalation restriction from amorphous silica:

- 4 mg/m3 according to DFG-MAK
- 6 mg/m3 according to OSHA
- 10 mg/m3 for 8 hours (TWA) according to ACGIH

Under normal conditions of use, the load during processing of the product is lower than 1 mSv/year (1760 H/year) (limit values for persons prescribed by EURATOM Directive 96/29).

#### 8.2.2.2 Hand protection



Protective gloves are generally not required. In case of constant skin contact, gloves aresufficient for low mechanical and material stress, see also BGR 195, e.g.:Material:Material thicknessButyl rubbermin. 0.4 mmMaterial:DIN EN 374

### 8.2.2.3 Eye protection

Mechanical processing with dust exposure requires safety goggles closed at the side in accordance with DIN 58211 or DIN EN 166.

#### 8.2.2.4 Body protection

Safety shoes to wear the product, as well as normal work clothes are sufficient.

#### 8.2.2.5 General industrial safety and hygiene measures

Do not inhale dust. Avoid contact with eyes. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of work.

- **8.2.3** Limitation and monitoring of environmental exposure Environmentally hazardous properties of the product are not known, so that the general operational measures for environmental protection are sufficient.
- 8.2.4 Limitation and monitoring of the exposure for private end users No special protective measures necessary as the product is not available for private end users.

# 9 Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

# 9.1.1 General details

Physical condition:

Solid

According to Attachment II EC Reg. 1907/2006 (REACH)



SILIGIIT				
First created on:	2015-08-03	Updated on:	2025-03-11	
Next inspection on:	2025-12-31	Printed on:	2025-03-11	Version: V21/2025
Shape:			rregular	
Odor:			Odourless	
Color:		,	Various	

# 9.1.2 Important details regarding health / environmental protection as well as safety

Softening point (temperature):NFlash point:NSelf-ignition point (Solid/Gas):NBlaze properties:NRisk of explosion:NVapour pressure:NSpecific weight:2Bulk density:1Water solubility:1	150 °C Not applicable Not applicable Not applicable Not applicable Not applicable 2.50 kg/dm <sup>3</sup> 1.50 kg/dm <sup>3</sup> Insoluble in water Not applicable
Vapour density:	Not applicable Not applicable Not applicable

# 9.2 Additional details

There are no further details required regarding safety-relevant parameters.

# 10 Stability and reactivity

#### 10.1 Reactivity

Not reactive under the stated conditions of use and storage.

# 10.2 Chemical stability

Stable if stored and applied as directed.

- **10.3** Possibility of hazardous reactions If handled and stored properly, no dangerous reactions are known.
- **10.4** <u>Conditions to avoid</u> Protect from temperatures > 450 °C.
- **10.5** <u>Incompatible materials</u> Strong alkalis (e.g., NaOH), hydrofluoric acid (HF).
- **10.6** Hazardous decomposition products Unknown

# 11 Toxicological data

# 11.1 Information on hazard classes as defined in Regulation (EC) No. 1272/2008

**11.1.1 Toxicokinetic, metabolism and distribution** No data available.

According to Attachment II EC Reg. 1907/2006 (REACH)



Siliyin				
First created on:	2015-08-03	Updated on:	2025-03-11	
Next inspection on:	2025-12-31	Printed on:	2025-03-11	Version: V21/2025

# 11.1.2 Acute toxicity

No data available.

# 11.1.3 Etching and irritant effects

Product dust can mechanically irritate skin and mucous membrane, eyes and respiratory organs.

# 11.1.4 Sensitizing effects

No sensitizing effects on skin and respiratory organs known.

- **11.1.5 Specific organ toxicity at single or repeated exposure** No organ toxic effects known.
- **11.1.6 Carcinogenicity, mutagenicity, and reproductive toxicity** No carcinogenic, mutagenic, or toxic to reproduction effects known.
- **11.2** Information on other hazards No information available.

# 12 Environmental details

12.1 <u>Toxicity</u> No data available.

### **12.2** Persistence and degradability The product is insoluble and the inorganic substances it contains are not bioavailable.

# 12.3 <u>Bioaccumulation potential</u>

The product is insoluble and the inorganic substances it contains are not bioavailable, thus not bio accumulative.

# 12.4 Mobility in the ground

The product is insoluble and therefore not mobile.

**12.5** <u>Endocrine disrupting properties</u> Endocrine disrupting properties are not known.

# 12.6 Other adverse effects

Ozone depletion potential and greenhouse effect are not known.

Ecological and ecotoxicological data are not available. A threat to the environment is not to be expected if the product is handled and disposed of safely.

# 13 Notes on disposal

# 13.1 <u>Waste treatment process</u>

The product does not generate any waste that is subject to monitoring in accordance with Regulation (EU) No. 1357/2014. For disposal, national laws and local regulations must be observed.

# 13.1.1 Product

Product residues should be reused wherever possible.

	J Safety Data Sheet ding to Attachment II EC Reg. 1907/2006 (REACH)	of quality since 1854 SIGMUND LINDNER®
	iglit reated on: 2015-08-03 Updated on: 2025-03-11	
	reated on: 2015-08-03 Updated on: 2025-03-11 nspection on: 2025-12-31 Printed on: 2025-03-11	Version: V21/2025
13.1.2	2 Uncleaned packaging Recommendation: Non-contaminated packaging can be Cleaning agent Water.	reused.
14	Information on Transport	
14.1	<u>UN-Number</u>	not relevant
14.2	Proper UN shipping name	not relevant
14.3	Transport hazard classes	not relevant
14.4	Packaging group	not relevant
14.5	Environmental hazards	see section 14
14.6	Special precautions for the user	see section 7
14.7	Transport in bulk according to the following IMO Instruments: Annex II of MARPOL and the IBC Code	not relevant
	Note: No dangerous goods as defined by ADR/RID/ADN	/GGVSEB, ICAO/IATA, IMDG.
15	Legal provisions	
15.1	Safety, health, and environmental protection/legislati mixture	on specific to the substance or

15.1.1	<b>EU-regulations</b> Classification and labelling:	None according to Directive (EC) No. 1272/2008 (CLP) or other known EU regulations.
15.1.2	National regulations Classification and labeling:	None according to the Hazardous Substances Ordinance (GefStoffV) or according to other known national regulations.
	Employment restrictions:	None according to GefStoffV, JArbSchG or MuSchV
	Major Accidents Ordinance:	The product is not subject to the Major Accidents Ordinance.
	Water hazard class:	No WGK, not hazardous to water according to AwSV.

#### 15.2 Chemical safety assessment

A chemical safety assessment of the product or its components is not available.

#### 16 **Additional information**

#### Summary of the H-Statements 16.1



According to Attachment II EC Reg. 1907/2006 (REACH)



SILIGIIT				
First created on:	2015-08-03	Updated on:	2025-03-11	
Next inspection on:	2025-12-31	Printed on:	2025-03-11	Version: V21/2025

Not applicable

### 16.2 <u>Recommended Limitations of Use</u>

Glass-Glitters, Glass-Flakes and Glass-Nuggets are not a toy and must therefore be stored away from children. A resale as toy requires the EC conformity evaluation and the distributor's compliance with the legal regulations. We expressly point out, that a conformity evaluation in this sense has not been carried out by us.

#### 16.3 **Further information**

Company details:	Sigmund Lindner GmbH Oberwarmensteinacher Str. 38 95485 Warmensteinach / GERMANY		
	Phone: +49-9277-9940   Fax: +49-9277-99499   Web: www.sili.eu		
Technical contacts: information	Mr. Erwin Pschierer (Product Manager Glitter) Mrs. Manuela Pilz (Product Manager Glitter)		

# 16.4 Used abbreviations

A:	Alveolar Dust
ADR:	Accord européen relative au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW:	Occupational exposure limit according to TRGS 900
BGW:	Biological limit value according to TRGS 903
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
CI Nº:	Color Index Number
CLP:	Classification, Labelling and Packaging of Substances and Mixtures
E:	Inhalable Dust
EC Nº:	EINECS Number (European Inventory of Existing Commercial Chemical Substances)
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals
IATA:	International Air Transport Association
ICAO:	International Civil Aviation Organization
IMDG:	International Maritime Code for Dangerous Goods
REACH:	Regulation on Registration, Evaluation, Authorization and Restriction of Chemicals.
RID:	Règlement concernant le transport international ferroviaire des
	marchandises dangereuses (Regulations Concerning the International
	Transport of Dangerous Goods by Rail)
TRGS:	Technical Rules for Hazardous Substances
WGK:	Water hazard class

# 16.5 Changes and reasons for change



According to Attachment II EC Reg. 1907/2006 (REACH)



SiLiglit

First created on: 2015-08-03 Next inspection on: 2025-12-31 Updated on: 2025-03-11 Printed on: 2025-03-11

Version: V21/2025

Adjustment according to Annex II of Regulation (EC) No. 1907/2006 (REACH) in the version of Regulation (EC) 2020/878.

Date of current version:	2025-03-11
Replaced issue:	SDS V20/2024

# <u>Remarks</u>

All details noted in this data sheet correspond to our knowledge at the time this data sheet has been put into effect. This information should be used as a guideline for a safe treatment in accordance with the products mentioned in our material safety data sheet, during storage, production, transport and disposal. This information is not applicable to other products, to newly produced materials, if the product mentioned in this material safety data sheet is mixed or blended with other articles or when other transformations are made to it.